Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



FEB 1 6 1960 &
U. S. Department of Agriculture.

QUINLAN SEED STORE

62.25

Spring Catalog
1940

317 WABASH AVENUE TERRE HAUTE, INDIANA

PARCEL POST RATES

On Seeds, Plants, Bulbs, Roots, Books, Tools, etc., within the U.S. and Possessions.

	First pound or fraction	Each additional pound or fraction
Local	7c.	1c (2 lbs)
First and Second Zone within 150 miles of either	8c.	1.1c
Third Zone within 150 to 300 miles	9c.	2c
Fourth Zone within 300 to 600 miles	10c.	3.5c
Fifth Zone within 600 to 1000 miles	The state of the s	5.3c
Sixth Zone within 1000 to 1400 miles	12c.	7c
Seventh Zone within 1400 to 1800 miles	14c.	9c
Eighth Zone all over 1800 miles	15c.	11e
Canada	14c.	14c

NOTE.—A fraction of a cent in the total amount of postage on any parcel shall be counted as a full cent. Limit of weight for delivery to all zones 70 pounds; to Canada 15 lbs. If weight exceeds this, we will pack in 2 or 3 parcels (not more) provided money is remitted to cover postage. (Mark your Zone Number on order.)

All parcels under 8 ounces are carried everywhere regardless of zone rates at one and one-half cents for 2 ounces.

Low Prices.—A matter of primary importance in buying seeds is to obtain only the best. Our position enables us to supply you with such seeds, and at prices to compete with all reliable seedsmen.

Good Order.—If seeds are not received in good order within a reasonable time, write us and we will look up the shipment. Small orders are often delayed in transit.

Cash.—Money must always accompany the order. Money may be sent safely either by Postoffice Order, Express Order, or Bank Draft. We will be responsible for the safe receipt of remittances sent by either of the above methods. We accept postage stamps the same as cash.

WARRANTY AND QUALITY OF SEEDS.

While we exercise the greatest care to have all our seeds Pure, Reliable, and True to Name, we do not give any warranty, express or implied, as to description, quality, and productiveness, or any other matter, of any seeds we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these terms, they are at once to be returned and the money that has been paid for same will be refunded.

SPRING CATALOG 1940

A COMPLETE LINE OF FLOWERS, GARDEN AND FIELD SEEDS, INSECTICIDES, FERTILIZERS, PET AND ANIMAL FOODS AND REMEDIES

QUINLAN SEED STORE

317 Wabash Ave.

Terre Haute, Indiana

OUTSTANDING FLOWER NOVELTIES FOR 1940

Morning Glory.

- (A) Scarlett O'Hara. Gold Medal All American Selection for 1939, rich dark wine or deep rosy crimson color, dark green foliage, flower about four inches in diameter.
- (B) Alamo or Mile-a-Minute Vine. Creamy white flowers, deep wine red at center. Fine lacey foliage, very fast growing, thrives in hot dry places. Flowers are 1½ inches, opening in late morning and remaining open during the afternoon.

Zinnia.

Fantasy, White Light. White with curled and crested petals, medium sized flower on bushy plants.

Fantasy, Wildfire. Rich dazzling scarlet, free blooming, 2½ to 3 feet tall.

Cupid (dwarf) Pixie. Bright yellow.

Cupid (dwarf) Tiny Tim. Rich scarlet.

Cupid (dwarf) Snowdrop. Pure white.

Scabiosa, Imperial Giants Blue Moon.

Rich deep lavender blue, tall plants, broad, heavy, wavy petals, eliminating pincushion center completely, fully double. Flower extremely large and deep, about the shape of an old-fashioned beehive.

Cosmos, Sensation Pinkie and Purity. Flowers are immense size, 4 to 5 inches in diameter with broad heavy fluted petals which overlap. A good full flower produced within 8 to 10 weeks from seed. Purity is a white flower of same description as the Pinkie. Plants reach a height of 3 to 4 feet.

The Bush Balsam. Glossy green foliage, easy culture and Camellia-like flowers. Blossoms borne at end of stem, not under leaves. Mixed colors.

Celosia, Royal Velvet.

Twenty-four inch plants with large long stemmed cockcombs of rich carmine, foliage bronzy green with reddish margins.

Salvia, Farinacea, Blue Bedder.

Compact, deep blue, growing three feet.

Vegetable Plants, all varieties.

Tomato
Cabbage
Mango or Pepper
Sweet Potato

Flower Plants, all varieties.

Aster
Salvia
Snapdragon
Zinnia
Petunia
Verbena

ASK FOR PRICES.

ASPARAGUS.

An ounce of seed will sow 50 feet of drill, and produce about 300 plants. Fair crops may be expected the third year from seed.

Washington, Martha

The original rust resistant variety; heavy yielding, large dark green stalks; of fine quality.

Mashington, Mary

The highest type of the rust-resistant asparagus. It is earlier, larger and longer than the original Washington and quite as resistant. Tips are very tight and do not "sprangle out" or "blow" prematurely.

BEANS.—Dwarf or Bush.

Postage on all Beans to be paid by purchaser. See Parcel Post Rates Front Page.

Beans should not be planted before the ground becomes light and warm, in favorable seasons usually about the first of May. The soil should be rich and mellow, and the seeds scattered about 3 inches apart in drills that are to 2 to $2\frac{1}{2}$ feet apart, and covered about 2 inches deep. Successive sowings, made at intervals of about two weeks until the middle of July, will give a plentiful supply of beans throughout the season. One pound of seed will sow 100 feet of drill.

CDTTELL DADDED GADEG			
GREEN PODDED SORTS.	Lb.	¼ Bu. 2.25	Bu. 8.00
Plentiful. Improved Bountiful type, stringless, long straight medium deep green pods. Shows a definite resistance to rust disease. Very productive.	-	2.20	8.00
Black Valentine (Improved Stringless)	.20	\$2.25	\$8.00
Giant Stringless Green Pod	.20	2.25	8.00
Stringless Green Pod	.20	2.25	8.00
Hopkin's Imp. Round Pod, Ex. Early Valentine	.20	2.25	8.00
Tendergreen (New Stringless)	.20	2.25	8.00
Tennessee Green Pod	.20	2.25	8.00
Horticultural Dwarf	.20	2.25	8.00
Shell Beans. Late and productive.			
Large Red Kidney	.15	1.75	6.00
Shell Beans.			31000
White Kidney	.15	1.75	6.00
Shell Beans.	15	1 77	C 00
White Marrow	.15	1.75	6.00
White Navy	.10	1.25	5.00
Bountiful Bean Very early and stringless.	.20	2.25	8.00
Full Measure Very Early Round Stringless	.20	2.25	8.00
WAX PODDED BEANS.			
		Lb.	¼ Bu.
Wardwell's Kidney Wax			\$2.25
German Black Wax			2.25
Improved Golden Wax		.20	2.25
Crystal White Wax		.20	2.25

PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

POLE BEANS.

Less hardy than the Bush Beans, and should be planted several weeks later, w	hen the gr	round is
warmer. Plant the seeds in slightly raised hills 3 or 4 feet apart, 4 or 5 seeds to th	etaking cul	e Limas
are especially tender, and the rule for late outside planting with them is rigid. Paint	oles for ev	ery hill
who are usually the most successful, plant them eye downward, after setting stout p All sorts of late-ripening Pole Beans are benefitted by pinching the tips of the vines b	ack when	they are
about 5 feet high. A pound will plant about 100 hills.		
about vicet mgn. A pound win plant about too mis.		1/ 50

about 5 feet high. A pound will plant about 100 hills.	Lb.	¼ Bu.
Lazy Wife's	.20	2.25
Missouri Wonder	.20	2.25
Speckled Cut Short Corn Bean	.20	2.25
Horticultural or Cranberry	.20	2.25
Kentucky Wonder, or Old Homestead	.20	2.25
	0.0	2.25
White Kentucky Wonder		2.20
Pods green and tender.	20	2.25
Kentucky Wonder Wax	.20	2.25
Early Golden Cluster Wax	.20	2.20
Very early and very prolific.		
POLE LIMA BEANS.		
TORM DIMIN DESIRED.	Lb.	¼ Bu.
Large Lima		3.00
Extra large size.		
King of the Garden	.25	3.00
mig of the datuen	•=0	3.00

BUSH OR DWARF LIMA BEANS.

	Lb.	¼ Bu.	Bu.
Burpee's Imp. Bush Lima	.25	2.75	\$10.00
Henderson's Bush Lima	.25	2.75	8.00
Fordhook	.25	2.75	11.00
Woods Prolific Improved Henderson	.25	2.75	10.00

SWEET CORN.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

The Sweet or Sugar varieties being liable to rot in the cold or wet ground, should not be planted before May, or until the ground has become warm, and for a succession continue planting every two weeks, until the middle of July, in rich, well-manured ground in hills three feet apart each way, covering about half an inch and then thin out three plants to a hill, or plant in rows four feet apart and to stand eight inches apart in the rows. One-quarter pound to 100 feet; 1 gallon to the acre.

	Lb.	1/4 Bu.	Bu.
Golden Sunshine	.20	1.50	5.00
Imp. Adam's	.20	1.50	5.00
Adam's Extra Early	.20	1.50	5.00
Early Adam's	.20	1.50	5.00
Golden Bantam	.20	1.50	5.00
Kendall's E. Giant	.20	1.50	5.00
Early Mammoth	.20	1.50	5.00
Early Evergreen	.20	1.50	5.00
Country Gentleman	.20	1.50	5.00
Shoe Peg	.20	1.50	5.00
Stowell's Evergreen	.20	1.50	5.00
Late Mammoth	.20	1.50	5.00
Howling Mob	.20	1.50	5.00
Stowell's Evergreen Hybrid	.25	2.25	8.00
Golden Evergreen	.20	1.50	5.00
Whipples Early Yellow	.20	1.50	5.00
Golden Cross Bantam	.25	2.25	8.00
Whipple's Early White	.20	1.50	5.00
Golden Country Gentlemen	.20	1.50	5.00
Black Mexican	.20	1.50	5.00

PEAS.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

Peas succeed in light, dry, loamy soil. Early and dwarf sorts require richer soil than the late varieties.

If manure is used let it be old and well rotted, or there will be a rank growth of vines with few pods.

Sow the early, smooth, round sorts as early in spring as the ground can be worked. Seeds of wrinkled varieties are more liable to rot if the ground is cold and must be planted later. Sow all the varieties quite early and depend for succession upon the different times of ripening of the various sorts, or from the first sowing sow every two weeks until June for a succession. One-half pound to 100 feet; 2 bushels to the acre.

Alaska	Lb.	½ Bu. 2.25	8.00
The very earliest and best blue pea. Height, 2 ft.	•20	2.20	

.25

Oz.

.25

.75

4 Oz.

.90

PEAS—Continued.			
First and Best	Lb.	¹ / ₄ Bu. 2.25	Bu. 8.00
First and Best Very Early. Height, 2½ ft.	.20	4.40	0.00
World's Record	.20	2.25	8.00
An improved type of Gradus, being slightly earlier, more dwarf, true to type and productive. Height 2½ feet. Vines moderately stout, medium green; pods medium green, 4 in. long, very broad, pointed and well filled with 7 to 8 very large, dark green peas of exceptional quality.			
Chicago Market Wrinkled variety; height 1½ ft.; about one week later than	.20 Gradus.	2.25	8.00
Giant Stride	.20	2.25	8.00
Gradus, or Prosperity	.20	2.25	8.00
One of the earliest of wrinkled varieties; large pods. Height, 2½ ft.			
Thomas Laxton	.20	2.25	8.00
Nott's Excelsior An improvement on American Wonder. Height, 1 ft.	.20	2.25	8.00
American Wonder	.20	2.25	8.00
McLean's Little Gem Very prolific; a garden favorite. Height, 1 ft.	.20	2.25	8.00
Laxtonian Large, full pods; fine quality. Height, 1½ ft.	.20	2.25	8.00
Telephone Enormous pods; fine quality. Height, 4½ ft.	.20	2.25	8.00
Champion of England Well known standard variety. Height, 5 ft.	.20	2.25	8.00
Little Marvel—64 Days Vine strong and vigorous, about 18 inches tall. Showy pods about 3 to 3½ inches long, blunt ended. Seed large, green, wrinkled. A very fine productive, dwarf, sturdy variety.	.20	2.25	8.00
Laxton Progress Few days earlier than Laxtonian. Vines 18 inches tall, pods 4 inches long. A valuable new variety.	.20	2.25	8.00
Luscious Sugar, Edible pods. Height, 4 ft	.20	2.25	8.00
BEETS.			
The soil best suited to the Beet is a deep, light and rich loam. For sown in hotbeds, and the seedlings are transplanted to the open ground. sown outside as soon as the soil is in good condition, in drills from 12 to about an inch deep; the plants are thinned to stand 4 or 5 inches apart in sow seed in June, in drills, as for early Beets. An ounce of seed will sow pounds will sow an acre.	For main 15 inches a the rows.	crop, the sapart, and co For winter	seed is covered crops,
	Oz		Lb.
New Crosby's Egyptian			.75
Detroit Dark Red Turnip Beet			.75
Early Blood Turnip			.75
Edmund's Early Blood Turnip			.75
Long Dark Blood Red			.75
Yellow Globe For stock.			.75
Mammoth Long Red		mat lan	.75
True Sugar			.75
Asgrow Wonder (New Dark Red)		0 .25	.75

BRUSSELS SPROUTS.

4 Oz.

1.50

Oz. 25

Oz.

.50

BROCCOLI.

A distinct variety, extensively cultivated by Italian gardeners. Plant forms a large, solid head which remains green. When the central head is cut, numerous sprouts develop from the leaf axes, each sprout terminating in small green heads, which are bunched for market. Italian Green Sprouting

COLLARDS.

Oz. .15 True Georgia Used as Greens.

CABBAGE.

Seed sown in hotbed or greenhouse about February 15 will give plants large enough to transplant into hotbeds about March 10. Set them 2 or 3 inches apart each way, and as soon as they become well established remove the glass for part of the day, to harden them for final transplanting into the open ground, increasing the exposure daily until April 10 or 20, when the final transplanting may be made. Plants for this early crop need not stand further apart than 1½x2 feet. For late crops, sow seeds in April or May, and transplant to the open ground when large enough, setting the plants up to the first leaf, and 2x3 feet apart. It is important that the plants should not stand thick in the seed-beds, as this would induce weak, slender plants.

One oz. to 1500 plants; 2 oz. to the acre.

Conenhagen Market

Copenhagen Market	.25
Nearly as early as Wakefield, with solid round heads.	05
Marion Market	.25
Yellow Resistant.	05
Burpee's All Head Early	.25
Larger than Early Summer and earlier.	. 05
Early Jersey Wakefield	.25
The standard sort.	05
Large Charleston Wakefield	.25
Very solid and not so pointed.	05
Early Dwarf Flat Dutch	.25
	OF.
Early Winningstadt Early; very solid.	.25
	.25
Fottler's Early Drumhead A first-rate second early.	.20
All Seasons	.25
Fine large heads Vellow resistant	.41
Henderson's Succession	.25
Similar to All Seasons.	.20
Burpee's Sure Head	.25
Medium size; round; very solid and fine grained.	.20
Selected Flat Dutch	.25
A selected strain of large size and a good header.	
Late Drumhead	.25
Danish Ballhead	
Golden Acre	
Extra early selection of the Copenhagen type, maturing with Jersey	.20
Wakefield and the earliest of the round head cabbage.	
Mammoth Rock Red	.25
The largest and solidest of all red cabbages.	
Improved American Savoy	.25
Very fine quality.	
Jersey Queen	.25
Early, peaked head, wilt-resistant, yellow-resistant.	
Wisconsin Hollander	.25
Early, round head, wilt-resistant, yellow-resistant.	

CAULIFLOWER.

Culture for Cauliflower and cabbages is essentially the same, but to the former extra care given in applying fertilizers and moisture well repays the gardener. Sow the seeds for early and late crops as directed for cabbage, but do not set the early plants in the open field too soon, for if too much stunted by severe frosts they begin to form heads before they are strong enough to develop them well. Plants which have not headed before winter sets in may be stored in a cool cellar or coldframe, and will form heads there without any further attention.

One oz. to 1500 plants; 2 oz. to the acre.

	Pkt.	¼ Oz.	½ Oz.
Early Snowball	.10	.50	1.00
Early dwarf and reliable.			

CARROT.

Carrots succeed best on heavy loam, which preferably should have been well fertilized the previous year, as fresh manure often causes the roots to grow pronged and misshapen. Sow the seed as early in the spring as the ground can be prepared, firming the soil down over them.

One ounce of seed will sow 200 feet of drill; 2 pounds will sow an acre.

Coreless (New 1/2 Long Blunt Pointed)	Oz. .15	¼ 1b. .50	Lb. 1.25
Oxhart	.10	.30	.75
Danver's Half Long Good for all purposes.	.10	.30	.75
Long Orange	.10	.30	.75
Chantenay Half Long (The Model) Excellent medium early half-long stump rooted variety; roots about inches long, very thick, smooth and of a deep orange-red colo	ut 6	.30	.75

CELERIAC.

Sow in early spring; transplant the seedlings in May. They will be ready	for cook-
ing in October and may be preserved in dry sand for use during winter.	Oz.
Turnin Rooted Colory	25

CELERY.

Celery can be grown on any garden soil, but is finest on deep, mellow bottom land. Seed for early crops should be sown in hotbeds about March 15. The plants may either be thinned to give them room to grow, or transplanted to another bed to grow until it is time to plant them in the open ground. For main crop, seed should be sown in the open air as soon as the soil and air are warm enough. They should be covered lightly, or merely pressed into the earth with a board if the soil is fine and mellow. The seedbed must be kept free from weeds and well watered in dry weather. When the plants are large enough, transplant them to shallow trenches or furrows from 4 to 6 feet apart, according to the variety grown, setting the plants 6 inches apart in the rows and pressing the soil firmly around them. One oz. to 10,000 plants.

ing the soft many wroten them.	
	Oz.
Golden Self Blanching, French Stock	.50
White Plume	.25
Celery Cabbage or Chinese Lettuce.	
Wong Bok, short variety	.25
Pe Tsai, tall variety	.25

CORN SALAD.

Sow the seed thickly in shallow drills in September, and firm the soil well down above it, if the weather be dry. Highly appreciated, and much grown where other salads and lettuces do not succeed. An ounce of seed will sow a bed 20 feet square.

	Oz.	1/4 lb.
Large Leaf	.10	.25
Fine for salad		

CRESS.

Curled or Pepper Grass	Oz20
Used for salad; very pungent.	
True_Water Cress	.40
Delicious flavor; very wholesome.	

CUCUMBERS.

The seed can not be planted in the open ground before the weather has become warm and settled, and the ground mellow and light. Plant the seeds in well-enriched hills about 4 feet apart each way, and as soon as all danger from insects is over thin the plants to leave four of the strongest in each hill. One oz. to 50 hills; 1 pound to the acre.

Longfellow (New)	Oz. .10	$\frac{\frac{1}{4}}{.30}$ lb.	1.00
An excellent long, slender, dark green variety equally desirab for greenhouse forcing or out door culture. An ideal type for the private garden or as a "straight pack" variety for shipmento market. 12 to 14 inches long by 2½ inches in diameter.	le or	.00	1.00
Straight Eight	.10	.30	1.00
White Wonder	.10	.30	1.00
Fruit, produced in clusters, is symmetrical, short, blocky and rounded at both ends; color ivory-white from time of forming until maturity; moderately productive. 6x2½ inches.			
The Davis Perfect	.10	.30	1.00
Alaska	.10	.30	1.00
Rollinson Telegraph (Greenhouse forcing)	2.00		
Early Fortune	.10	.30	1.00
Very fine, early and productive white spine.			
Early Cluster	.10	.30	1.00
Chicago Pickling	.10	.30	1.00
Improved Long Green	.10	.30	1.00
West India Gherkin	.10	.30	1.00
Good for pickling only. (Small.)			
Japanese Climbing	.10	.30	1.00
It is suitable for growing either in frames or in the open air. It			and

exceedingly productive. The fruit is excellent either for table or pickling.

LETTUCE.

Seed for the first outdoor crop is usually sown in hotbeds in February, and the seed-lings transplanted to the garden in April, 8 to 12 inches apart, in rows 12 inches apart. For a succession until frost, sow in drills in the open ground at intervals of every two or three weeks, and thin the plants to stand 6 to 8 inches apart. For plants to force in hotbeds from November until spring, sow seed in hotbeds in the fall, and cover up as winter approaches, until the plants are required for use. Or the seed may be sown in hotbeds early in winter and the seedlings transplanted when large enough into fine and well-prepared garden soil. One-fourth oz. to 100 feet of drill; 2 pounds to the acre.

pour	ub co	the act	.
Grand Rapids	Oz. .15	½ lb50	Lb. 1.50
Extra fine for forcing.	•=0	•••	2.00
Paris White Cos, Trianon or Romain	.10	.40	1.00
55 days, a strong grower with long shell-shaped leaves of excellent quality, though a self-folder, should be entirely			
blanched by tying up that the inner leaves may be made crisp and white, when it is decidedly more palatable than cabbage-			
heading sorts.			
Black Seeded Simpson Stands heat well.	.15	.40	1.00
Early Curled Simpson Good for forcing and out doors.	.15	.40	1.00
	4 F	4.0	1.00
Philadelphia Butter Solid heads of large size; stands heat and cold well.	.15	.40	1.00
Prize Head	.15	.40	1.00
Leaves frilled and blistered; very crisp.		• • • • • • • • • • • • • • • • • • • •	
Hanson	.15	.40	1.00
Stands drought and hot sun well.	.10	•40	1.00

LETTUCE.—Continued.			
Wayahead	Oz. 15	½ lb. .40	Lb. 1.00
A very early, handsome, sure-heading variety. Big Boston	15	.40	1.00
Brown Dutch Leaves brown.		.40	1.00
Iceberg	15	.50	1.50
The hardest heading variety of all. May King	15	.40	1.00
Heads extra large and solid; green outside but heart cle	ar yellow.	.50	1.50
N. Y. or Wonderful A large late sort, cabbage heading variety, with large, or pled, dark green leaves. Similar to N. Y. cabbage.	crum-	•••	1.00
ENDIVE.			
This is an important fall and winter salad. For early, the seed shou inches apart, and the seedlings thinned to stand 12 inches apart in the may be made in June and July, as the vegetable is used principally in fare blanched by tying the tips of the outer ones together, or by laying to One-fourth oz. to 100 feet of drill.	rows. Sowing	s for the marker. The inner plants.	ain crop er leaves
Broad Leaf Batavian		Oz. 15	½ lb50
Thick, slightly wrinkled; forming a loose head.			•00
White CurledGreen Curled			.50 .50
		•10	.00
EGG PLANT.			
in rows 3 feet apart each way and give them thorough cultivation, drawhen they are about a foot high. Repeated sowings are sometimes necessar freely without strong and uniform heat. One oz. to 2,000 plants.		d does not go	
New York Improved Spineless Black Beauty		4.00	
Black Beauty		40	
Black Beauty KALE. One oz. to 2,000 plants; 1 pound to the acre.	Oz.	40 40	Lb. 75
Black Beauty KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green	Oz. 10	40 40 25 .25	.75 .75
Black Beauty KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian	Oz. 10	40 40 ¹ / ₄ lb. .25	.75
Black Beauty KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green	Oz. 10 10	40 40 25 .25	.75 .75
Black Beauty KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch	Oz10 .10 .101010	40 40 25 .25	.75 .75
Black Beauty KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch SWISS CHARD, SILVER OR SEA Grown exclusively for its leaves, which can be used and	Oz10 .10 .101010	40 40 25 .25 .25	.75 .75 .75
RALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch SWISS CHARD, SILVER OR SEA Grown exclusively for its leaves, which can be used and like Spinach. Cultivation same as for Beets	Oz10 .10 .10	4040252525	.75 .75 .75
KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch SWISS CHARD, SILVER OR SEA Grown exclusively for its leaves, which can be used and like Spinach. Cultivation same as for Beets KOHL RABI. Very palatable when prepared for the table like turnips. If the webe sown in April, in rows 18 inches apart, and the seedlings thinned oz. to 100 feet of drill.	Oz10 .10 .10 .11 .10 .10 .10 .10 .10 .1	4040252525	.75 .75 .75
RALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch SWISS CHARD, SILVER OR SEA Grown exclusively for its leaves, which can be used and like Spinach. Cultivation same as for Beets KOHL RABI. Very palatable when prepared for the table like turnips. If the webe sown in April, in rows 18 inches apart, and the seedlings thinned	Oz	4040252525	.75 .75 .75
KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch SWISS CHARD, SILVER OR SEA Grown exclusively for its leaves, which can be used and like Spinach. Cultivation same as for Beets KOHL RABI. Very palatable when prepared for the table like turnips. If the webe sown in April, in rows 18 inches apart, and the seedlings thinned oz. to 100 feet of drill. Early White Vienna	Oz	4040252525	.75 .75 .75
KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian	Oz	40404525252525	.75 .75 .75
KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch SWISS CHARD, SILVER OR SEA Grown exclusively for its leaves, which can be used and like Spinach. Cultivation same as for Beets KOHL RABI. Very palatable when prepared for the table like turnips. If the webe sown in April, in rows 18 inches apart, and the seedlings thinned oz. to 100 feet of drill. Early White Vienna Early Purple Vienna LEEK. Used for seasoning soups and boiling with meats. The seed should be and the seedlings transplanted later to the open ground, 8 inches apart apart. One-half oz. to 100 feet of drill.	Oz10 .10 .10 .10 .10 .10 .10 .10 .10 .1	40404525252525	.75 .75 .75
KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch SWISS CHARD, SILVER OR SEA Grown exclusively for its leaves, which can be used and like Spinach. Cultivation same as for Beets KOHL RABI. Very palatable when prepared for the table like turnips. If the webe sown in April, in rows 18 inches apart, and the seedlings thinned oz. to 100 feet of drill. Early White Vienna Early Purple Vienna LEEK. Used for seasoning soups and boiling with meats. The seed should be and the seedlings transplanted later to the open ground, 8 inches apart apart. One-half oz. to 100 feet of drill. Broad Scotch or London Flag	Oz10 .10 .10 .10 .10 .10 .10 .10 .10 .1	40404525252525	.75 .75 .75
KALE. One oz. to 2,000 plants; 1 pound to the acre. Improved Siberian Dwarf German Green Tall Curled Scotch SWISS CHARD, SILVER OR SEA Grown exclusively for its leaves, which can be used and like Spinach. Cultivation same as for Beets KOHL RABI. Very palatable when prepared for the table like turnips. If the webe sown in April, in rows 18 inches apart, and the seedlings thinned oz. to 100 feet of drill. Early White Vienna Early Purple Vienna LEEK. Used for seasoning soups and boiling with meats. The seed should be and the seedlings transplanted later to the open ground, 8 inches apart apart. One-half oz. to 100 feet of drill.	Oz	4040252525252525	.75 .75 .75

MUSTARD.

The young and tender leaves of the mustard are greatly relished as salads or when
cooked like spinach. The seed should be sown in shallow drills as early as the ground
can be prepared in spring, and the leaves cut when several inches long.

One oz. to 50 feet of drill.	Oz.	¼ lb.	Lb.
White	.10	.20	.50
Southern Giant Curled	.10	.20	.50
Ostrich Plume	.10	.20	.50
Fordhook	.10	.20	.50
Stands well, very productive.		•	
Mustard Spinach A Japanese plant of the Mustard family which has become	.10	.20	.50

popular with the gardeners for its extremely quick habit of growth, producing a marketable crop of excellent mild mustard greens in about four weeks from seed.

OKRA.

The tender young pods are used for seasoning soups and stews. Sow the seeds thickly in rich soil about the middle of May, in drills 3 feet apart, and cover the seeds an inch deep. Two oz. to 100 feet of drill.

	U2.	% 10.
Dwarf Green	.10	.25
Perkins' Mammoth	.10	.25
Green podded; an excellent strain.		
White Velvet	.10	.25

ONION.

Onions thrive best on a rich, deep, loamy soil. For sets, the seeds should be sown very thickly in drills as early as possible in spring. In summer, as soon as the tops die down, harvest the bulbs and store them in a dry, cool place, spreading them in thin layers. Early in the following spring replant them 4 inches apart, in small drills 12 inches apart, and they will form into fine, large bulbs early in the season. Large Onions may also be grown from seed the first season if the land is strong and well manured, the seed sown thinly in drills a foot apart, and the seedlings thinned to stand 3 or 4 inches apart in drills; they must be well cultivated and kept free from weeds. Five pounds per acre will be required for large onions; for sets, 25 to 30 pounds.

Oz.	1/4 lb.	Lb.
.25	.75	2.00
.25	.75	2.00
.25		2.00
.25	.50	1.50
.25	.50	1.50
.25	.75	2.50
.25	.75	2.50
.25	.50	1.50
	.25 .25 .25 .25 .25 .25	.25 .75 .25 .75 .25 .75 .25 .50 .25 .50 .25 .75 .25 .75 .25 .75

PARSLEY.

Much used for garnishing and flavoring soups, stews, etc. The seed is slow to germinate, and should be sown as early as possible, in drills 12 inches apart, thinning plants in rows 4 to 6 inches apart. One-half oz. to 100 feet of drill.

	UE.
Plain, for flavoring	20
1 Idill, 101 His villa	.40
Moss Curled. Finely cut and curled for garnishing.	.20
MUSS Outled. I mely car and carred for garmsning	.40

MUSKMELON.

Muskmelon seed should not be planted outdoors until the ground has become warm and dry. The hills should be about 6 feet apart, and carefully prepared. Rich earth is far better for the young plants than manure; but if the latter must be used see that it is well rotted. Plant from six to twelve seeds in a hill, and when the young seedlings are strong enough to resist the attacks of insects, thin them, leaving three of the strongest in each hill. One oz. to 50 hills; 1 to 2 pounds per acre.

Tip Top	Oz.	14 lb.	Lb. .75
Yellow flesh, sweet, juicy and of finest flavor.		0	
Burrell's Gem, or Ordway A yellow fleshed nutmeg, very sweet, and a good seller.	.10	.25	.75
Hoodo or Hearts of Gold	.10	.25	.75
This new variety is the equal of any melon, and superior in its round qualities. Yellow flesh.			
Emerald Gem	.10	.25	.75
Hoodo or Hearts of Gold This new variety is the equal of any melon, and superior in its round qualities. Yellow flesh.			

MUSKMELON.—Continued.

	Oz.	1/4 lb.	Lb.
Honey Rock	.10	.25	.75
Honey Dew	.10	.25	.75
Osage	.10	.25	.75
Yellow flesh.	10	or	75
A selection from No. 25, having deeper salmon tint, more uniform size and better netted. Popular as a shipping melon at Rocky For	in	.25	.75
Rocky Ford Colorado grown Netted Gem	.10	.25	.75
Hale's Best No. 45 A remarkably early shipping melon from the Imperial Valley, Cal. Melons are oval in shape, about 6 in. long by 4½ in. in diameter, with heavy netting and fairly distinct ribbing. Flesh exceptionally thick and deep salmon in color. A most promising and profitable variety.	.10	.25	.75
Extra Early Hackensack	.10	.25	.75
Blue Ribbon Gem	.10	.25	.75
WATERMELON.			
Secure good strong vines early in the season by making the hills well drained, with the manure placed so that they will not dry out suns. All possible protection from insects should be given the young protection from insects, use dry ashes or coal dust sprinkled over the seeds thickly, and thin the plants to four of the strongest in each hill One oz. to 50 feet of drill; 1 to 2 pounds to the acre.	quickly g plant leaves	y under s. and	hot as a
Early Kansas	.10	.20	.60
Another recent introduction that merits a place among the best of the watermelons. It is an early type, exceptionally vigorous grower, and a proven high producer of unusually fine fruits well suited for shipping. FRUIT—Oval in shape, weighs 30 pounds; thin rind, light green with broad dark green irregular stripes; flesh, solid deep red, fine textured, tender, delightful flavor; seeds, buff color.			
Kleckley Sweet, Wilt Resistant	.10	.20	.60
The sweetest table melon known.			
Dixie Bell or Stone Mountain, Wilt Resistant	.10	.20	.60
Monte Cristo	.10	.20	.60
Very sweet and tender; flesh rich red.			
Halbert's Honey	.10	.20	.60
A new introduction of many superb qualities and already a leading commercial variety. A good shipper and a splendid home garden melon. It matures to an ideal size and produces an unbelievable number of fruits. FRUIT—Almost round, with squarish ends; weighs around 30 pounds; rind, thin and tough, light green color with dark	.10	.20	.60
green stripes; flesh, fine grained, tender, lusciously flavored, and rich scarlet color; seeds, very small and white			

PUMPKIN.

.10

.20

.20

.60

.60

Cuban Queen

Irish Grey

colored.

Grown principally for stock-feeding, yet some are so sweet, juicy and fine-grained that they will always be considered indispensable for pies and sauces. The vines require the same culture as that

recommended for melons, but the seeds must be planted in hills much wider apart; freque planted among corn. A pound of seed will plant from 200 to 300 hills. One to two pound Oz.		
Sweet Cheese or Kentucky Field	.15	.35
Cushaw and striped Cushaw	.25	.75
Cushaw, Golden Similar to White Cushaw, except in color of shell, which is	.25	.75
golden yellow. Cushaw, Striped	.25	.75
Japanese Pie	.25 .25	.75 .75
POP CORN.	,	
White Rice		Lb. .10
Golden Queen		.10
PEPPER.		
Sow in hotbed as early as April, and transplant to rich, warm, mellow soil, as soon a has become warm and settled, setting them about 2 feet apart in drills 3 feet apart. On plants.		
Long Hungarian (Yellow or Banana)	Oz40	4 Oz. 1.50
Mammoth Golden Queen		1.00
One of the largest of the sweet, yellow peppers; resembles Ruby King in size, form and mild flavor; green in color, fruit pendent, 3 lobed, 4 inches high by 3½ diameter, turning yellow at maturity.		
Ruby Giant, and Chinese Giant	35	1.00
Largest of all. Red. Sweet Mountain Large; square shaped and mild.	25	.90
Ruhy King	25	.90
Fruit very large; bright red color. Very mild. Cayenne		.90
Fruit long, hot and pungent.	0.5	00
Red Chili	25	.90
Pimento		1.00
California Wonder	35	1.25
Resembles Chinese Giant in the large size and "blocky" form of its fruit, but having an extremely thick flesh not possessed by that variety; crimson fruit. Measures 4½ in. in		
length by 4 in. in diameter, mild and sweet; mid-season. Worldbeater	35	1.25
One of the very best of the large peppers, being a cross between Chinese Giant and Ruby King, having the longer form and earliness of the latter with the size of the former. Fruits 4 lobed, 5 in. long by 3½ in. in diameter; flesh very thick and mild; exceedingly productive and a good shipper.		
Sunnybrook A tomato-shaped sweet, red pepper of much merit. Fruit smooth, upright, 3 in.	35	1.00
in diameter by 2½ in. in depth with thick flesh; moderately early. Sweet Golden Dawn	95	1.00
An early, sweet, mild, yellow variety, smaller than Golden Queen; fruit blocky in form like Bull Nose; 4 lobed, pendent, 3½ inches in height by 2½ inches in diameter; color light green, turning yellow at maturity.	35	1.00
Large Bell or Bull Nose	35	1.00
The oldest standard type and widely known of the Bell group. A reliable sort for the home and market garden. PLANT—20 inches tall, erect, very prolific. FRUIT—3½ inches long and 3 inches in diameter, squarish in shape; flesh, thick mild, ribs pungent; color, deep green, becoming		
scarlet upon maturity.		

PARSNIP.

Sow the seed in drills 15 inches apart as early as possible in spring, and thin the plants until they are 5 or 6 inches apart in the rows. The roots are much improved by frost; to be dug up as required. On the approach of cold weather, cover them heavily with manure or litter. Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots will be smooth and large if no fresh manure is used, as this tends to make them coarse-grained and misshapen. One-half oz. to 50 feet of drill; 3 pounds to the acre.

	Oz.	¼ lb.	Lb.
Large Hollow Crown Sugar	.10	.25	.75

PEANUT.

Make rows two or more feet apart, and drop seed eight inches apart. Matures very early, and may be planted after oats in July.

		Lb.
Virginia	•••••••••••••••••••••••••••••••••••••••	.25

RADISH.

Sow in sheltered spot, the earth being deeply dug, highly fertilized, and raked free from clods and stones. Radishes grown on poor, thin soil cannot be made good; they will be misshapen and tough. To be good they must be grown quickly. Radishes can be forced by covering with a window or a sash. One oz. to 100 feet of drill; 10 to 15 pounds per acre.

	Oz.	⅓ lb.	Lb.
Long, smooth, white forcing radish.	.10	.25	.50
Scarlet Globe	.10	.25	.50
Crimson Giant	.10	.25	.50
Cincinnati Market	.10	.25	.50
Early Long Scarlet Short Top	.10	.25	.50
Early Scarlet Turnip Forcing White Tip	.10	.25	.50
French Breakfast	.10	.25	.50
White Strasburg	.10	.25	.50
White Lady Finger, or Long White Vienna	.10	.25	.50
Celestial, or White Chinese	.10	.30	.50
Best for fall; very large white radish.			
China Rose Winter	.10	.30	.50
Long Black Spanish Winter	.10	.30	.50
Round Black Spanish Winter	.10	.30	.50
Sparkler, Round White Tip	.10	.30	.50

RHUBARB.

Sow the seed early, and when the plants are large enough thin them to 4 or 5 inches apart. The next spring or fall transplant them 3 feet apart each way in deep, rich soil. For forcing, take up some large roots and place them in a dark corner of the cellar or greenhouse. Two oz. to 100 feet of drill.

		Oz.	1/4 lb.
Victoria	••••••	.10	.30

SALSIFY, OR OYSTER PLANT.

When cooked, the roots have something of the flavor and odor of oysters. They may be boiled, used in soups, or grated and fried as friters. Culture the same as for parsnips and carrots. Roots are perfectly hardy, and may be left in the ground all winter. A quantity of roots for winter use may be stored in a pit or in sand or damp earth in a cellar. One oz. to 100 feet of drill.

	Oz.	⅓ lb.
Mammoth Sandwich Island	 .20	.75

SPINACH.

One of the most important crops grown for greens, and may be had in good condition from very early in the spring until cold weather. For early use sow very early in spring, and for succession at intervals. The main crop for spring and winter use should be sown in September and the plants covered for winter.

One-half 02. to 100 feet of uffit, 0 to 8 pounds to the acre.	Oz.	¼ lb.	Lb.
Long Standing	.05	.15	.35
New Zealand	.10	.25	.75
Bloomsdale Savoy	.05	.15	.35

SQUASH.

Seed should not be planted in spring until all danger of frost is past. Plant in hills 5 feet apart for bush varieties and 6 to 8 feet apart for running sorts, putting 6 to 8 seeds to the hill, finally leaving but 3 plants.

One-half pound to 200 or 300 hills: 2 to 3 pounds per acre.

One-nail pound to 200 or 500 hills; 2 to 5 pounds per acre.		
	Oz.	1/4 lb.
Early White Bush	.10	.25
Early; flat scallop shape.		
Summer Crook-Neck	.10	.25
Fruit about one foot long with crooked neck.		
Warty Hubbard	.15	.25
A Hubbard squash completely covered with warts.		
Delicious	.15	.25
A fall and winter variety.		
Golden Hubbard	.15	.25
Boston Marrow, similar to Hubbard	.15	.25
Banana Squash	.15	.25

TURNIP.

For early, sow as soon as the ground can be prepared, in drills 15 inches apart, and thin the plants to stand 8 inches apart. Sow for succession at intervals of two weeks until the last week in July, and from that time onward until the last of August sow for main crop. The sowings should always be made just before a rain, if possible, as the success of the crop depends, in a great measure, upon quick germination and rapid growth of the young plants. One oz. to 300 feet of drill; 1 pound to the acre.

	Oz.	1/4 lb.	Lb.
Extra Early White Milan	.10	.25	.75
Early Purple Top Milan	.10	.25	.75
Red, or Purple Top Strap Leaf	.10	.20	.50
Red Top White Globe	.10	.20	.50
Seven Top	.10	.20	.50
American Purple Top Ruta Baga		.20	.50

TOMATO.

As the plants advance in growth support them by brushwood. To have the Tomato very early it is necessary to start the plants in a hotbed, or they may be reared in a flower pot in a window and subsequently transplanted. Plants for an early crop should be raised under glass. For intermediate crop they may be raised on outside beds. For late crops the seed may be planted in permanent position.

One oz. to 2,500 plants; 2 oz. to the acre.

	Oz.	1/4 lb.
Ponderosa	.40	1.50
The largest tomato grown; rich crimson; solid flesh.		
June Pink	.25	.90
Spark's Earliana	.25	.85
Very early; bright red, smooth and of good size and excellent flavor.	1-0	
Break O'Day	.35	1.25
Dwarf Champion		.85
Very early dark numbigh red	0	

TOMATO—Continued.

	0=	1/ 11-
John Baer	Oz25	½ lb.
A very early, large red variety of fine quality.	.20	•00
Wayahead A very early, smooth, solid, red variety with potato-leaved foliage; fruit about	.35	1.25
the size of Earliana and will ripen with it if not a few days earlier.		
Prolific	.75	2.50
Early red variety of fine quality.	w.a	
Asgrow Scarlet Dawn. A new very early variety		1.50
Golden Ponderosa Largest of the yellow tomatoes and similar to Ponderosa except in color of fi	.40 ruit.	
Early Detroit		.90
Bonny Best, A good forcing variety	.25	.90
Very early; vigorous and productive; color scarlet. Crimson Cushion (Beefsteak or Enormous)	40	
The largest of the bright red tomatoes; really a Red Ponderosa.	.40	
The Stone	.25	.75
Very large and smooth; ripens evenly bright scarlet.	05	
Pritchard or Red Topper	.35	05
Chalk's Early Jewel Very early; smooth, round and of superior quality.	.25	.85
Greater Baltimore, Indiana Strain	.25	.85
Large as Stone; deep red, very solid and productive.	00	
Golden Queen Yellow; ripens early; is large size, smooth and solid.	.30	
Yellow Pear	.30	
Used for Preserves.	00	
Red Pear	.30	
Marglobe Certified	.35	
TOBACCO.		
Sow the seed in plant bed in March. Transplant when five or six leaves at	pear.	Set
in rows 3½ feet apart, 18 to 30 inches apart in the row, according to variet the bud appears, break off the top, leaving 16 leaves to mature. Keep off	ull su	ckers
growing from the stem. When the leaves have become waxy and brittle it is and hang the stock in a shed to dry.	ripe.	Cut
Connecticut Seed Leaf		
Well Known Variety.	۲٥	
White Burley	.50	
Havana	.50	
HERBS.		
Caraway—Seeds used for flavoring		
Coriander—Seeds used for flavoring		
Dill—Used for flavoring Pickles		
Sweet Marjoram—Used as a seasoning		
Rosemary—Leaves very fragrant		
Sage—A highly aromatic Herb, most useful of all		
Thyme—Used as a seasoning		
Savory, Summer—Used as a seasoning		
Sorrel—Large leaved, French—Used as a Salad or cooked as Greens		
Sweet Basil—Leaves used for flavoring		
Chervil—Used for flavoring Soups		
Lavender—Leaves very fragrant		
Chicory—Large rooted—The dried leaves are roasted and mixed with Coffee		
used as a substitute		
Rhubarb Roots Prices on application.		








ZINNIA

FLOWER SEED.

FLUWER SEED.		
	Pkg.	Oz.
Ageratum, Blue, Dwarf		.50
Ageratum, White, Dwarf		.75
Alyssum, White		.50
Alyssum, Yellow		.50
Antirrhynum, Mixed		1.00
Rust Proof .10 pkg. ¼ oz50 all		
Aster, Crego, Deep Rose		1.00
Aster, Crego, Orchid		1.00
Aster, Crego, Purple		1.25
Aster, Crego, White		1.25
Aster, Crego, Mixed		1.25
Aster, Giant Comet	.10	1.00
Aster, Wilt Resistant, Mixed		.75
Aster, Crego, Light Blue		4.50
Aster, Crego, Peach Blossom		4.50
Balsam (Lady Slipper)		.50
Calendula, Yellow	.05	.50
Calliopsis, Yellow	.05	.50
Candytuft, Mixed and White		.50
Canterbury Bells, Blue, Double Medium	.05	1.00
Canterbury Bells, Cup and Saucer, Mixed	.05	1.00
Cannas, Mixed	.10	.50
Carnation, Hardy, Mixed	.10	1.00
Carnation, Marguerite		1.00
Centaurea (Bachelor Button) Blue, Double		.50
Centaurea (Bachelor Button) Mixed	.05	.50
Chrysanthemum, Dwarf Yellow and White	.05	.50
Clarkia, Mixed	.05	.50
Cleoma		.75
Cocks Comb, Dwarf, Royal Velvet	.25	
Coleus, Mixed	.0 1/8 0	z65
Columbine, Aquilegia, Mixed	.10	1.00
Coreopsis, New Gold, Double	.05	.50
Cosmos, Double Crested, Mixed	.05	1.00
Cosmos, Extra Early Single, Mixed	.05	.50
Cosmos, Klondyke (Orange)	.05	.50
Chinese Woolflower, Scarlet	.05	.50
Chrysanthemum, Double, Mixed	.05	.75







MIXED LARKSPUR

FLOWER SEED—Continued.

	Pkg.	Oz.
Daisy, African	.05	1.00
Daisy, Double, Mixed		1.25
Daisy, Pyrethrum Roseum		1.25
Daisy, Shasta (White)		1.00
Daisy, Swan River		.75
Dahlia, Double, Mixed		1.75
Dahlia, Single, Mixed	.10	.75
Delphinium, Mixed		1.25
Didiscus, Blue Lace Flower	.05	.75
Forget-Me-Not	.10	1.75
Forget-Me-Not, Chinese	.05	.30
Godetia, Upright Single, Mixed	.05	.75
Euphorbia (Snow on the Mountain)	.05	.50
Fox Glove (Digitalis) Mixed	.05	.50
Gaillardia (Blanket Flower) Mixed	510	1.00
Geranium, Double, Mixed	.10	1.50
Gomphrena (Globe Amaranth) Mixed	.05	.50
Gypsophila, Lilac, Perennial	510	.50
Gypsophila, Pink, Perennial	510	1.25
Gypsophila, White, Perennial and Annual	510	.50
Heliotrope, Mixed	510	1.00
Hibiscus, Mixed and Red	510	1.00
Hollyhock, Double, Mixed	.05	.75
Hollyhock, Single, Mixed, Annual Indian Spring1	.025	
Hunnemannia Fumarifolia, Mexican Tulip Poppy	.05	.75
Lantana, Mixed		.75
Larkspur, Double, Mixed and Coral King	.05	1.00
Lobelia, Mixed	.10	2.00
Lupin, Mixed	.05	.50
Marigold, African Yellow Supreme	.05	.75
Marigold, French Double, Mixed	.05	.50
Marigold, Sunset Giant	.10	1.25
Matricaria (Feverfew)		.75
Mexican Fire Bush (Kochia)		1.00
Mignonette, Green and White		.50
Nasturtium, Dwarf, Mixed		.10
Nasturtium, Dwarf Double, Mixed	.05	.10
Nasturtium, Glorious Gleam	.05	.10



SCARLETT O'HARA MORNING GLORY



ZINNIA FANTASY WILDFIRE

FLOWER SEED—Continued.

	Pkg.	Oz.
Nasturtium, Golden Gleam	.05	.10
Nasturtium, Scarlet Gleam		.10
Nasturtium, Tall, Mixed		.10
Nicotiana (Flowering Tobacco) Mixed, Purple and White		.50
Petunia, Balcony, Rose Pink		3.50
Petunia, Balcony, White and Blue		3.50
Petunia, Fringed, Mixed	.25	
Petunia, General Dodd, Red	.10	1.00
Petunia, Howard Star, Purple with White Throat	.10	2.00
Petunia, Hybrid Exquisite, Mixed	.05	1.00
Petunia, Purple Prince	1525	
Petunia, Rose of Heaven, Pink	.10	2.50
Petunia, Rosy Morn, Pink	.10	1.50
Petunia, Double, Mixed	.25	
Petunia, Single, Mixed	05	1.00
Petunia, Hollywood Star	1020	
Petunia, Miniature Pink Gem	10	2.50
Phlox, Drummondi, Mixed	.05	.75
Phlox, Hardy		1.50
Phlox, Star Choice		1.00
Physalis (Chinese Lantern Plant) Mixed		.75
Pinks, Chinese Single, Mixed (Dianthis)		.50
Pinks, Chinese Double, Mixed (Dianthis)		1.00
Poppy, American Legion		.25
Poppy, California Yellow		.50
Poppy, Oriental Scarlet		1.00
Poppy, Oriental, White		2.50
Poppy, Oriental, Pink		2.00
Poppy, Shirley, Mixed		.50
Poppy, Double, Mixed		1.50
Portulaca (Flowering Moss) Double, Mixed		.50
Portulaca (Flowering Moss) Single, Mixed		.75
Salpiglossis, Mixed		1.00
Salvia Splendens (Flowering Sage) Red		1.25
Salvia, Blue Bedder		2.50
Scabiosa (Mourning Bride) Mixed		.75
Stock, Mixed		1.50
Strawflower (Helichrysum) Mixed	05	.75

Caract William Deall, II. 1 No. 1		
Sweet William, Double Hardy, Mixed	.05	.75
Sunflower, Double Golden Globe	.05	.25
Tritoma, blooms first year	.10	2.00
Verbena, Crimson Globe		1.50
Verbena, Lemon		3.50
Verbena, Mixed		1.00
Vinca (Madagascar Periwinkle)		1.00
Viola Odorata, Mixed		2.00
Wallflower, Mixed		1.00
Zinnia, Lilliput, Mixed		.75
Zinnia, Mammoth, Mixed (California Giant)	.05	.50
Zinnia, Fantasy, Mixed		1.00
Zinnia, Star Dust, Yellow	.10	1.50
Zinnia, Fantasy, White	.10	1.50
Zinnia, Lilliput, Tom Thumb	.05	1.00
Zinnia, Lilliput, Red Riding Hood	.05	1.00
VINES.		
	Pkg.	Oz.
Balsam Apple, Red Fruit		.35
Castor Bean or Ricinus Maderia		.25
Cardinal Climber		.50
Chinese Cinnamon	.10	
Clematis, White		.50
Coboea Scandens		.50
Cypress, Mixed		.50
Dusty Miller, Broad Leaf		.50
Four O'Clocks, Mixed and Red	.05	.20
Gourd, Dipper		.20
Gourd, Ornamental, Mixed	.05	.20
Gourd, Japanese Nest Egg	.05	.10
Japanese Hop Vine	.05	.30
Hyacinth Bean, Mixed	.05	.25
Job's Tears, White	.05	.15
Kudzu	.05	.50
Moon Flower, White and Blue	.05	.35
Morning Glory, Japanese, Mixed	.05	.30
Morning Glory, Heavenly Blue	.05	.75
Morning Glory, Rose Marie, Double	.05	.75
Morning Glory, Scarlett O'Hara	.10	1.50
Passion Vine	.05	1.00
Scarlet Runner	.05	.20
Sunflower, Tall, Large Flower		.25
Sweet Peas, Spencer, Blue	^ ~	.15
Sweet Peas, Spencer, Purple		.15
Sweet Peas, Spencer, Rose		.15
Sweet Peas, Spencer, Scarlet		.15
Sweet Peas, Spencer, White		.15
Sweet Peas, Spencer, Yellow		.15
Sweet Peas, Spencer, Mixed		.10
Sweet Peas, Spencer, Mixed (Pink and White)	.10	.50
Thunbergia (Black Eyed Susan)	.05	.75
Wild Cucumber	.05	.10
Wild Flower Garden	.05	.50
Wild Linker Garden		

BULBS.

Canna, King Humbert, Yellow
Canna, City of Portland, Pink
Canna, President, Red
Canna, Ambassador, Red with Bronze Foliage
Caladium (Elephant Ear)
Dahlia, Jane Cowl, Bronze
Dahlia, Jersey Beauty, Pink
Dahlia, Jersey Beacon, Red
Dahlia, Warner, Pink
Cannas and Dahlias10 each, 3 for .25

Dahlia, Seals of California, Yellow	
Gladiolus, Albania, White	
Gladiolus, Buckeye, Rose Pink	
Gladiolus, Helga, Salmon Pink	
Gladiolus, Rose-Ash, Rose	
Gladiolus, Souvenir, Yellow	
Gladiolus, Alice Tiplady, Orange	
Tube Rose, Pearl, Dwarf Double	
Tube Rose, Mexican	
Tube Roses, per dozen	.50
Gladiolus, per dozen	.35

IMPORTED DUTCH BULBS.

Crocus
Grape Hyacinth
Hyacinths
Narcissus

Tulips
Scilla
Snowdrops
Eranthis Hyemalis

Ask for prices

LILIES.

Auratum Ismene Regal Rubrum Umbellatum Henryii Phillippinese Fornosanum Tigrinum Splendens

FLOWER POTS.

21/2 inch size	2 for05	8 inch size	.20
4 inch size		9 inch size	.30
5 inch size	.07	10 inch size	.40
6 inch size	.10	12 inch size	.60
7 inch size	.15	Ask for quantity	prices

HANGING POTS.

8	inch	size	 .30	12 inch size	.75
10	inch	size	 .55		

FARM SEEDS.

Prices subject to market change—Please ask for prices

Red Clover Seed8-10 lb per acre
Mammoth Clover Seed8-10th per acre
Alsike Clover Seed6 lb-8 lb per acre
Sweet Clover Seed, White Blossoms
10 lb-15 lb per acre
Sweet Clover Seed, Yellow Blossoms
Sweet Clovel Seeu, Tellow Diossollis
10 lb-15 lb per acre
· · · · · · · · · · · · · · · · · · ·

.35

FARM GRAIN.

Prices	subject	to	market	change—Please	ask	for	prices
--------	---------	----	--------	---------------	-----	-----	--------

Kaffir Corn
Milo Maize
Buckwheat
Grohoma
Cane, for forage crop
Cane, for Sorghum purpose

Seed Rye
Broom Corn
Millet Seed, German........50 lb per acre
Millet Seed, Hungarian.....50 lb per acre
Sudan Grass25 lb-35 lb per acre

SEED CORN.

Reid's	Yellow	Utility,	100	days
Johnso	n Count	y White,	110	days
Red Co	ob Whit	e, 90 da	ys	

Certified Hybrid Seed Corn

Large flat kernel, per bushel....... \$7.00

Medium flat kernel, per bushel....... \$6.00

SOY BEANS.

Illini Black Ebony Virginia Manchu

COW PEAS.

Whippoorwill New Era

Mixed

GRAIN BAGS.

New Grain Bags, 16 oz.

Used Grain Bags, 16 oz
LAWN GRASS SEEDS.
Blue Grass
Red Top
Chewings Fescue1 tb \$1.00
Poa Trivialis, good for shade
Mixed Lawn Seed
White Dutch Clover
Bent Grass
Shade Mixture
Bamboo Rakes Each .25
Plant and Tree Labels

SEED SOWERS.

Cyclone Seeders, Each	2.50
Seed Planting and Picking Bags, Each, No. 1	
Seed Planting and Picking Bags, Each, No. 2.	
Seed Corn Holders and Dryers, Each	
2004 2011 11014012 4114 21,012, 11101	_,_,

INOCULATIONS

INUCULATIONS.	
McQueen's, for Alfalfa, Sweet Clover, Red and Alsike Clover, ½ bu. size	
McQueen's, for Alfalfa, Sweet Clover, Red and Alsike Clover 1 bu. size	
McQueen's, for Alfalfa, Sweet Clover, Red and Alsike Clover 2½ bu. size	
McQueen's, for Lespedeza, Cow Peas, and Soy Beans 1 bu. size	
McQueen's, for Lespedeza, Cow Peas, and Soy Beans 2 bu. size	
McQueen's, for Lespedeza, Cow Peas, and Soy Beans 5 bu. size 1.00	

•				
McQueen's, for Lespedeza, Cow Po	eas, and Se	oy Beans 10 bu. size		1.60
McQueen's, for Lespedeza, Cow Po	eas, and So	oy Beans 20 bu. size		2.40
Nitrogen, for Alfalfa and all Clov	ers ½ bu.	size		.30
Nitrogen, for Alfalfa and all Clove	ers 1 bu. s	ize		.50
Nitrogen, for Alfalfa and all Clove	ers 2½ bu	. size		1.00
Nitrogen, for Cow Peas and Soy I				
Nitrogen, for Cow Peas and Soy H				
Nitrogen, for Cow Peas and Soy H				
Nitrogen, for Cow Peas and Soy H				
Nitrogen, for Cow Peas and Soy I				
Nod-O-Gen, for all Clovers ½ bu.				
Nod-O-Gen, for all Clovers 1 bu.				
Nod-O-Gen, for all Clovers 2½ bu				
Nod-O-Gen, for Soy Beans 1 bu. s				
Nod-O-Gen, for Soy Beans 2 bu. s				
Nod-O-Gen, for Soy Beans 5 bu. s				
Nod-O-Gen, for Soy Beans 10 bu. s				
Nod-O-Gen, for Soy Beans 25 bu. s				
Urbana Laboratories Inoculation (for all Clovers	Jelly Form	i) I bu. size	•••••••	.50
Urbana Laboratories Inoculation (Tally Form	n) 5 hu siza		1 00
for Soy Beans	Jeny Pori	ii) 6 bu. size	***************************************	1.00
•				
COMME	RCIAL I	FERTILIZERS.		
Pric	es Subject	t to Change		
Ask for Ton Prices		2-12- 6 125 fb	\$2.50	Bag
	70 D	2- 8-16 125 fb	\$2.50	Bag
0-12-12 125 lb \$2.5	_	0-10-10 125 ib	\$2.50	Bag
4-24-12 125 lb\$3.5	oo bag	Bone Meal (2-24) 125 lb	\$3.75	Bag
	FERTIL	IZERS.		
Lb.	Bag		Lb.	Bag
Sheep Manure100	\$2.75	Milorganite	100	2.50
Sheep Manure 50	1.50	Milorganite		1.50
Sheep Manure 25	.85	Milorganite		1.00
Sheep Manure 10	.50	Milorganite		.50
Sheep Manure 5	.30	Sulphate of Ammonia		2.50
Sheep Manure 2	.15	Sulphate of Ammonia		1.50
Loma (5-10-4)100	4.00	Sulphate of Ammonia		1.00
Loma	2.50	Sulphate of Ammonia		.50
Loma	1.50	Nitrate of Soda		2.50
Loma	.85	Nitrate of Soda		1.50
Loma	.45	Nitrate of Soda		1.00
Loma 1	.10	Nitrate of Soda		.50
Vigoro (4-12-4)100	4.00	Wedo		.80
Vigoro 50	2.50	Wedo		1.70
Vigoro	1.50	Wedo		5.00
Vigoro 10	.85	Driconure		.50
Vigoro 5	.45	Driconure		2.00
Vigoro 1	.10	Murate of Potash		.05
Sacco (4-12-4)	\$3.50	Murate of Potash		3.00
Sacco (4-12-4)	φ 3.30 2.40	Blood and Bone		.10
Sacco	1.40	Blood and Bone		.25
Sacco		Aluminum Sulphate		.10
Sacco 5	.75 .40	Aluminum Sulphate		
Sacco	.10	Manganese Sulphate		.25
Datto1	•10	manganese Sulphate	1	.10

FOR POTTED PLANTS.

Zenke's Plant Life	25 Can	Peat Moss\$2.00 one-half Bale
Fulton's Plantabbs	25 Box	Peat Moss\$3.50 Bale
Peat Moss	10 Box	Adco
Peat Moss	25 Box	Ovene, Sheep Manure in
Peat Moss	50 Box	Stick Form
Peat Moss \$1	25 Roy	

SPRAYING MATERIAL AND DISINFECTANTS.

Red Arrow Garden Spray, good for Aphis and Red Spider
Red Arrow Liquid Soap
Fish Oil Soap
Ever Green Spray, good for Aphis and Red Spider 1 oz. bottle .35
4 oz. bottle \$1.00 1 qt. can \$3.00 1 gal. can \$8.50
"Black Leaf 40", good for Aphis and other insects
"Nico-Fume", used extensively in greenhouses1 lb. can 3.00 4 lb. can \$5.50 8 lb. can \$10.00
"Nico-Fume" 1 lb. Pressure Fumigator for greenhouses
Scalecide, for dormant spray, dilute in water at the rate of one gallon to 25 gallon of water1 gal. can \$1.00 5 gal. can \$4.50 30 gal. drum \$20.00
Selocide, good for Red Spider
Tobacco Dust
Copperace
Tri-Ogen, Rose Spray
Auxilin, root grower for cuttings bottle .50
Dolge Weed Killer
Spra-Mulsion, for dormant spray, mix at the rate of 1 gallon to 20 of water 1 gal. can \$1.00 5 gal. can \$3.75 50 gal. drum \$20.00
Sulfocide, a summer spray oil, mix at the rate of 1 gallon to 100 of water1 gal. \$2.25
Arsenate of Lead½ lb. cans .20 1 lb. cans .30 4 lb. bags .75 100 lb. drums \$15.00
Arsenate of Calcium
Fungi-Bordo, for fungus diseases and Anthracnose
Dry Lime Sulphur, for dormant spray
Mulsoid-Sulphur
Paris Green 4 lb. cartons .20 1 lb. cartons .60
Rose-Aid, fine for dusting Rose Bushes
Dusting Sulphur
Pestroy1 lb. cartons .50 4 lb. bags \$1.50
Rotenone Dust, fine for bean beetle
5 lb. bags \$1.00 25 lb. bags \$4.50 50 lb. bags \$7.50 100 lb. bags \$12.50
Hammond's Slug Shot, good for dusting purposes
Hammond's Weed Killer
Helibore
Dutox
Blue Vitriol (Copper Sulphate) Bulk
Kayso Spreader
Dandelion Killer
'Tree Tanglefoot 6 oz. can .25 1 lb. can .50 5 lb. can \$2.75

SPRAYING MATERIAL AND DISINFECT	ANTS-	—Con	t'd.	
Semesan, Seed Disinfectant	z. can .	50 1 l	b. can	\$2.00
Semesan Jr., Corn Disinfectant4			lb. can	\$1.00
Semesan-Bel, Potato Disinfectant4			lb. can	\$1.50
Ceresan, Grain Disinfectant				.70
Cuprocide, Seed Disinfectant4				\$1.00
Nu-Green, Grass Disinfectant for Brown Patch prevention at 1 lb. can \$1.45 5 lb. can \$6.30 25 lb. bag \$29.00 100	nd contro	ol3 c	z. can	.35
Copper Carbonate, Seed Disinfectant				\$1.00
Carbon Disulphide, for disinfecting Seed Wheat				.50
Hormodin, stimulates rapid root growth on cuttings			.bottle	\$1.00
Sodium Chlorate, for Bindweed, Canadian Thistle, and other orchards, or highways				Bulk
Cyanogas, for fumigating Elevators, Warehouses, Greenhous 5 lb. cans \$3.00	es, and l	Mills 1	½ lb. ca	n .45
Coal-Tar Disinfectant and Animal Dip	oottle .20) 1 p	t. bottle	.35
Paradichlorbenzene, used for borers in orchards				.35
Nursery Volck, for Red Spider and other insects1 gal.	ean \$2.00) 5 g	al. can	\$6.25
SPRAYERS AND DUSTERS			Tr. al	L 15
1 pint Sprayers				
1 quart Sprayers				
1 quart continuous Sprayers				
2 gallon Tank Sprayers				•
3 gallon Tank Sprayers				
Feeney Dusters				
Small Dusters				
Garden Hose Sprayers				•
Arnold Improved Garden Hose Sprayer (Six Assorted Carts				\$5.00 \$5.00
C. C. Sprayers			Each	фэ.00
POULTRY REMEDIES AND SUP	PLIES.			
Lee's Germozone			2.50	4.50
Lee's Gizzard Capsules, Adult			75	1.25
Lee's Gizzard Capsules, Chick			40	.75
Lee's Gizzard Capsules, Pullet			50	1.00
Lee's Vapo-Spray			2.00	8.75
Lee's Lice Killer		.6 0	.90	1.50
Lee's Louse Powder, 1 lb. can				
Lee's Hog Oil Wormer				
Lee's Poultry Dosing Syringe, 1 oz. capacity				
Lee's Poultry Nasal Syringe, for Head Colds				
Pratts Poultry Regulator				9.50
Pratts "Split-Action" Worm Capsules, Adult	85	1.50	5.50	10.00
Pratts "Split-Action" Worm Capsules, Chick and Small Pullet, 50 capsules		• • • • • • • • • • • • • • • • • • • •		55
Pratts "Split-Action" Worm Capsules, Chick and Small Pullet, 100 capsules				1.00
Pratts "Split-Action" Worm Capsules,				1.00
Chick and Small Pullet, 500 capsules				
		•••••		

POULTRY REMEDIES AND SUPPLIES—Continued.

Protts P. P. Toblets (Formarly Down W-1114)						
Pratts R-P Tablets (Formerly Roup Tablets).						.50
Pratts Chick Tablets				30	.60	1.25
Pratts Cow Tonic					~ · · · · · · · · · · · · · · · · · · ·	
Pratts Cow Tonic			۳۸	1 00		1.00
Pratts Animal Regulator					2.85	9.50
				1.00	2.85	9.50
Pratts Poultry Inhalant					60	1.00
Pratts Powdered Lice Killer					••••••••••••••••••••••••••••••••••••••	
Practis Disinfectant for Dipping and Spraying		• • • • • • • • • • • • • • • • • • • •			50	.60
Poultry and Stock					50	1.45
Pratts Roost Paint						2.25
Dr. Hess Stock Tonic		.45	.95		2.85	9.40
Dr. Hess Hog Special		.45	.95	1.90	2.85	9.40
Dr. Hess Poultry Pan-A-Min.		.45	.95	1.90	2.85	9.40
Dr. Hess Powdered Louse Killer				30	.65	1.25
Dr. Hess Liquid Louse Killer				.85	1.45	2.25
Dr. Hess Poultry Worm Powder		.50	.90	1.90	3.00	5.40
Dr. Hess Poultry Worm Tablets			1.00	2.00	3.50	6.50
Dr. Hess Dip and Disinfectant				60	.90	1.50
Dr. Hess Fly Spray						1.50
Dr. Hess Udder Ointment						
Dr. Hess Poultry Tablets (Roup)					.50	1.00
Dr. Hess Chick Tablets (Diarrhea)	••••••			25	.50	1.00
Dr. Hess Medicated (Healing) Powder		·			25	.50
Black Leaf Worm Powder					50	1.00
Carbola (Disinfectant Paint for Poultry House	ses)				60	1.00
Carbolineum (Wood Preserving Disinfectant)					1.50	7.00
G. E. Conkey Roup Powder				25	.50	1.00
G. E. Conkey White Diarrhea	• • • • • • • • • • • • • • • • • • • •			.25	.50	1.00
G. E. Conkey Worm Tablets			• • • • • • • • • • • • • • • • • • • •			1.00
G. E. Conkey Roup Pills				25	.50	1.00
G. E. Conkey Poultry Tonic	•••••••			.25	.50	3.00
Burrell-Dugger Don Sung		• • • • • • • • • • • • • • • • • • • •			.50	1.00
Burrell-Dugger Group-Over					.50	1.00
Dairy Association Co. Kow-Kare						1.25
Bag Balm						.60
Bag Balm Dilators						.60
Sodium Fluoride						.25
Germo Cholerine Liquid						1.00
Cod Liver Oil, for mixing with poultry feeds						1.50
Poultry Leg Bands, Celluloid, 12 bands						
Poultry Leg Bands, Celluloid, 50 bands						
Poultry Leg Bands, Celluloid, 100 bands						
Poultry Leg Bands, Aluminum, 12 bands						
Poultry Leg Bands, Aluminum, 50 bands						
Poultry Leg Bands, Aluminum, 100 bands						
Nest Eggs						
Disinfectant Nest Eggs						
Rabbit Salt Poultry Drinking Fonts, all sizes						
Poultry Feeding Pans, all sizes						
Rubber Bands, all sizes						
Trubber Danus, an Sizes					DOX	.10

BIRD SEED AND SUPPLIES.				
	1 fb.			10 fb.
Canary Seed			30 30	1.00 1.00
Rape Seed			30 30	1.00
Hemp Seed			30 30	1.00
Flax Seed			30	1.00
Mixed Bird Seed			30	1.00
Poppy Seed (Maw)		• \		1.00
Sunflower Seed		2 tb	. fo	or .25
Sull'ion Ci Secu	10,		• = 0	Pkt.
Haller's Health Food				.25
Haller's Dutch Song Restorer				
Haller's Bird Nesting				
Mrs. Halfin's Bird Rejuvenator (Song Restorer)				.10
Mrs. Halfin's Bird Tonic				.10
Mrs. Halfin's Bird Wash				.25
Mrs. Halfin's Moulting Food				
Mrs. Halfin's Lice and Mite Powder				
Mrs. Halfin's Ant Eggs (for Soft-Billed Birds)				
Mrs. Halfin's Color Food (Red and Yellow)				
Mrs. Halfin's Parrot Tonic				
Mrs. Halfin's Germicidal and Prophylactic				
Mrs. Halfin's Parrot Seed Mixture				
Mrs. Halfin's Parokeet Mixture				
Mrs. Halfin's Bird Nesting with Eggs				
Mrs. Halfin's Polly Crackers				
Bird Balm (For Bald Spots)				
Canary Cage Cuttle Bone Holders				
Canary Cage Wire Bird Nests				
Canary Cage Bird Swings				
Bird Cage and Stand				
Spratt's Cod Liver Oil Cage and Nestling Food				
Spratt's Sing Song				
Spratt's Song Restorer				25
Spratt's Mite Traps				.25
West's Magnesian Grit		• • • • • • • • • • • • • • • • • • • •		.10
West's Special Mating Food				25
West's Song Restorer				
Philadelphia Bird Gravel (Red and Silver)				
Philadelphia American Salve				
Philadelphia Bird Bitters				
Philadelphia Mite Powder				
Kaempfer's Big Kernel Birdolene (Song Restorer)				
Kaempfer's Big Kernel Canary Highball				
Kaempfer's Big Kernel Bird Asthma Tablets Burnett's Polly Nut Mixture				
Mixed Parrot Seed, 2 lbs.				
Canary Leg Bands				
Canary Cage Cups				
Canary Cage Perches				Each
Canary Cage Springs				
Canary Cage Baths				
Bird Shipping Cages				Each

DOG REMEDIES AND SUPPLIES

	Box
Spratt's Worm Tablets for Dogs	10
Spratt's Worm Tablets for Dogs	50
Spratt's Condition Tablets for Dogs	50
Spratt's Ointment	50
Spratt's Diuretic Tablets	50
Spratt's Muscular Tablets	50
Spratt's Eye Lotion Tablets	50
Spratt's Special Tablets for Cats	
Spratt's Worm Capsules for Cats	
Spratt's Tonic and Condition	
Spratt's Digestive Tablets for Dogs	
Spratt's Astringent Tablets for Dogs	
Sergeant's Special Medicine	
Sergeant's Mange Medicine	
Sergeant's Condition Pills	
Sergeant's Sure Shot Capsules	
Sergeant's Puppy Capsules	
Sergeant's Sure Shot Liquid	
Sergeant's Tapeworm Medicine	
Sergeant's Compound Arsenic and Iron Pills	
Sergeant's Cod Liver Oil Capsules	
Sergeant's Canker Wash	
Sergeant's Mouth Wash	
Sergeant's Compound Pepsin Tablets	
Sergeant's Intestinal Astringent	
Sergeant's Expectorant Medicine	
Sergeant's Diuretic Pills	
Sergeant's Liniment	
Sergeant's Eye Wash	
Sergeant's Nerve Sedative Medicine	
Sergeant's Skip-Flea Soap	_
Sergeant's Skip-Flea Powder, 2 oz.	
Sergeant's Disinfectant—4-oz. bottles	
12-oz. bottles	
One Spot Flea Powder	
"Dogzoff"	
Bee Brand Shampoo	
Milray Liquid Flea Soap	
Miller's Dog Soap	
Right-O Worm Capsules for Dogs	
Flea Combs (For Dogs and Cats)	
Disinfectant for Kennels	
\$1.25 per Gallor	
Dog Shipping Baskets Each	
Dog Feeding Pans	
Cedar Shavings, for dog houses	
Fleischmann's Yeast for Dogs	~~
"Scram-m"	
Catnip Mice (For Cats)	4.0

DOG FOOD.

Milk-Bone Puppy Biscuit		_	
Red Heart Kibbled Dog Food			
Red Heart Canned Dog Food; A, B, C Ration			
Spratt's Ovals, with Charcoal			
Spratt's Ovals, without Charcoal			
Spratt's Cat Food			
Spratt's Assorted Dog Biscuit			
Mrs. Halfin's Itsy Bitsy (Candy Substitute)	1 fb	pku. 25 lb 1	df 00
Gaines Milk and Meat Meal		1.75	6.50
Gaines Krunchon		2.00	7.50
Miller's A-1 Meal		1.75	6.50
Miller's Kibbles		2.50	9.00
Chappel's Ken-L-Worth		2.25	8.50
Spratt's Assorted Dog Biscuit		ulk 1 lb.	.15
GOLD FISH AND SUPPLIES. Common, Fan Tail, Black Moor, and Chebunkin Fish from 1			Pkt.
Mrs. Halfin's Fish Flakes			
Mrs. Halfin's Tropical Fish Food			
Mrs. Halfin's Turtle Food			
Mrs. Halfin's Shrimp Fish Food			
Spratt's Granulated Fish Food			
Bishop's Wafer Fish Food			
Fish Nets			
Fish Globes			
Aquariums 2 Gal. 1.00 5 Gal.			
Aquarium Cement			
Aquarium Ornaments and Shells			
Medicated Health Fishball			
rungus Kemedy and Fish Tome			.40
MISCELLANEOUS Grafting Wax—½ lb.			
Nomole. Poison to kill moles, ground squirrels, and small rodents.			
Poison Wheat. Death to rats and mice			
Jim Dandy Rat and Mice Killer			
K. R. O. Kills Rats only (Not a poison)			
Pastoxine. A non-poisonous exterminator of rats and mice			
Morton's Sugar-Cure Smoke Salt			
South American Ant Poison			
Raffia, Natural, for tying plants, 1 lb			
Figaro, Condensed Wood Smoke			
Mologen, Mole Poison			
Antrol, Ant Killer			
Daisy Fly Killer			
Hot Caps	dozen	\$1.00 pe	er 100

QUINLAN SEED STORE 317 Wabash Avenue Terre Haute, Indiana

317 Wabash Avenue

Name						
					County	
					Co. of Express OfficeState	
					Draft \$ Cash \$ Stam	
					ve the list of seed, etc., forwarded by	
•••••	1	1	1	1	State here if wanted by mail, expres	s or freigh
Bus.	Pecks	Lbs.	Oz.	Pkts.	NAMES OF ARTICLES WANTED	Dols. Cts.
	·					
				e distribution e de des		
				İ		
•						
-						



DETACH HER

QUINLAN SEED STORE

317 Wabash Avenue Terre Haute, Indiana

Post Office	Name							
Express Office	Post Office					County		
Find Enclosed P. O. Order \$Draft \$Cash \$Stamps \$ for which send to address above the list of seed, etc., forwarded by State here if wanted by mail, express or freight								
for which send to address above the list of seed, etc., forwarded by								
State here if wanted by mail, express or freight								
BUS. PECES LOS. UZ. PERS. NAMES OF ARTICLES WANTED DOIS. CES.								
	Bus.	Pecks	Los.	Oz.	PKts.	NAMES OF ARTICLES WANTED Do	Is. Cts.	
	-							
					1		7	

